INDEX TO VOLUME 62

[New names are printed in bold-faced type]

ACANTHIS flammea flammea, 133, 390
hornemanni exilipes, 240
linaria linaria, 240
l. rostrata, 240
Accipiter cooperi, 126
cooperii, 182, 237, 374
gentilis, 126
g. atricapillus, 374
striatus velox, 182, 374
velox, 182, 374
Actitis macularia, 132, 183, 238, 377
Addy, C. E., Great Black-backed Gull kills Black Duck, 142
Aechmophorus occidentalis, 181, 312, 372, 461
Aegialitis melodus circumcinctus, 440
Aëronautes saxatilis sclateri, 379
Aërornis senex, 589
Aestrelata arminjoniana, 437
Agelaius humeralis, 299, 447
phoeniceus, 131, 299
p. fortis, 389
xanthomus **monensis**, 299
x. xanthomus, 299
Agriocharis ocellata, 225
Aimophila botterii texana, 448
rufescens rufescens, 286
Aix sponsa, 122
Alca torda, 238, 635
t. torda, 441
Aldous, Clarence M. See Mendall, Howard L., and —, 153
Aldrich, John W., Additional breeding and migration records of the Black-backed Robin, 310; Notes on Panamanian birds, 111
Alectoris graeca, 225
rufa, 225
Aleutian Islands, 313
Alexander, Gordon, Hybrid warblers in the Colorado Museum of Natural History, 623
Allard, H. A., Duck Hawk nesting in the Great Valley of Virginia, 145
Alle alle, 635
Allen, A. A., Some changes in the bird life of Churchill, Manitoba, 129
Allen, Francis H., Prating for Passenger Pigeons, 136
Allin, A. E., Fall migration of the Golden Plover at Fort William, Ontario, 303
Amazilia cyanocephala cyanocephala, 276
tzacatl tzacatl, 16
Ammodramus savannarum, 420
s. ammolegus, 445
s. bimaculatus, 112
s. caucae, 112
s. obscurus, 111
Ammospiza maritima fisheri, 448
m. howelli, 448
Amphispiza belli nevadensis, 189, 391
bilineata confinis, 448
b. opuntia, 449
A. O. U., The Sixty-second Stated Meeting of —, 348; Associate members elected 1943–1944, 352; Deceased members, 356; Report of the Treasurer 358; Officers and committees, IX; Deceased members since 1940, XI; Report of the Committee on Bird Protection for 1944, 613; Membership Committee, 664; Twentieth Supplement to the Check-List, 436; The A. O. U. at a glance, 176
Anas acuta acuta, 438
a. tzitzihoa, 121, 373
carolinensis, 122, 126, 236, 373, 465, 564
cyanoptera, 126
c. cyanoptera, 182, 373
discors, 132, 142, 373, 465
platyrhynchos, 120, 126
p. platyrhynchos, 182, 373
rubripes, 236, 438, 620, 635
r. rubripes, 438
r. tristis, 438
Anhinga anhinga, 126

Anhinga, 304
Ani, 10
Groove-billed, 16, 275
Smooth-billed, 16, 116
Anser albifrons albifrons, 309
a. gambelli, 309
fabalis, 438
Antbird, Dusky Tyrannine, 18
Spotted, 18
Anting, 302, 641
Anthropoides paradisaea, 266
Anthus gustavi, 447
spinoletta alticola, 387
s. pacificus, 187
s. rubescens, 239, 635
Antrostomus vociferus, 304
Antvireo, 18
Antwren, Northern Long-billed, 21
Apaloderma narina narina, 409
Aphelocoma californica, 445
coerulescens cactophila, 445
c. immanis, 445
c. sumichrasti, 279
c. superciliosa, 445
sordida sieberii, 279
Aptenodytes forsteri, 144
Aquila chrysaetos canadensis, 140, 183, 375, 531
Araçari, Collared, 17
Aramus guarauna pictus, 440
pictus pictus, 440
Aratinga astec astec, 275
Archibuteo pallidus, 439
Archiplanus leucoramphus leucoramphus, 457
l. peruvianus, 457
Ardea herodias, 126
h. treganzai, 181, 372
Arenaria interpres, 241
Arnold, Elting, and Saunders, Aretas A., Connecticut records, 312
Arquatella maritima tschuktschorum, 440
Arremonops conirostris richmondi, 2
Asio flammeus flammeus, 239, 565
otus wilsonianus, 379
Aspatha gularis, 15, 489
Asyndesmus lewis, 185, 380
Atlapetes gutturalis parvirostris, 24
torquatus costaricensis, 24
Atlapetes, Costa Rican, 24
Costa Rican Yellow-throated, 24
Auk, Razor-billed, 238, 635
Aulacorhynchus caeruleigularis caeruleigularis, 17
Automolus ochrolaemus exsertus, 18
Automolus, Chiriquí, 18
Avila, Enrique, 'Enfermedades mas corrientes entre las aves silvestres,' (rev.), 642
Avocet, 378
Aythya affinis, 438
americana, 438
collaris, 438
ferina, 438
fuligula, 438
marila, 438
m. nearctica, 518
valisineria, 438
Azure-crown, Red-billed, 276

Bailey, Alfred M., Rivoli's Hummingbird in Colorado, 631
Baker, Edward Charles Stuart, obituary, 172
Balanosphyra formicivora aculeata, 443
f. formicivora, 277, 443
Baldpate, 119, 147, 373
Ball, Robert E., An unusual note of the White-crowned Sparrow, 452
Ball, Stanley C., Canada Jay in Connecticut, 457; Observations of Red-breasted Nuthatches, 622; The European Starling in Gaspé, 79; White-fronted Goose in Connecticut, 309
Bananaquit, Mexican, 25
San Miguel, 117
Barbatula, 556
Barbet, Costa Rican Prong-billed, 17
Barnés, Ventura, Jr., American Merganser in Puerto Rico, 460; A new form of Agelaius from Mona Island, Puerto Rico, 299
Baryphthengus martii, 490
Basileuterus culicivorus brasheri, 146
fulvicauda veraguensis, 23
Beatty, Harry A., Hooded Merganser in St. Croix, Virgin Islands, U. S. A., 461
Becard, Cinnamon, 21
Rose-throated, 316

Becard, Slate-bellied, 21
Sumichrast's, 21
Beer, James R., Sex ratios of ducks in southwestern Washington, 117
Bent, A. C., Bent's 'Life Histories of North American Birds,' 660
Berlioz, Jacques, 'La Vie des Colibris,' (rev.), 642; 'Les Migrations d'Oiseaux,' (rev.), 643
Birckhead, Hugh, obituary, 346
Bird, Lyre, 70
Mistletoe, 73
Northern Bush, 18
of Paradise, Greater, 70
Bittern, American, 182, 236
Blackbird, Brewer's, 188, 389
European, 306
Rusty, 240, 389, 396
Sumichrast's, 284
Tawny-shouldered, 447
Yellow-headed, 188, 314, 389
Bluebird, 422, 533, 608
Chestnut-backed, 386
Eastern, 386, 632
Guatemalan, 23, 283
Mountain, 187, 386, 533
Nelson's, 283
Bobolink, 103, 302, 389, 420
Bob-white, 608
Eastern, 376
Bolborhynchus lineola lineola, 274
Bombycilla cedrorum, 566
garrula, 314
g. pallidiceps, 387
Bonasa umbellus incanus, 439
u. umbelloides, 375
u. umbellus, 453
Bond, James, 'Check-list of Birds of the West Indies,' (rev.), 318; Identity of Catesby's Tropic Bird, 660
Botaurus lentiginosus, 182, 236
Brachyramphus marmoratus, 518
Brackbill, Hervey, Red-eyed Vireo's incubation, 148
Brandt, Herbert, A new wren from Arizona, 574
Brant, 464
American, 635
Branta bernicla, 464
b. hrota, 635
Branta canadensis, 132, 373
c. canadensis, 182, 236, 636, 640
c. hutchinsi, 126, 461, 464
c. interior, 438
c. minima, 126
British Columbia, 38
Brockway, Arthur W., A Dovekie in Connecticut, 460
Brooks, Allan, The under-water actions of diving ducks, 517
Brooks, Maurice, Great Black-backed Gull in Monongalia County, West Virginia, 634
Brown, V. H., Aircraft collision with a Goldfinch, 140
Bryens, Oscar M., The Greenland Wheatear in Luce County, Michigan, 631
Bubo virginianus, 421
v. heterocnemis, 239
v. occidentalis, 379, 531
v. pacificus, 184
v. virginianus, 405
Buccanodon, 556
Bucco, 544
armillaris, 73
Buffle-head, 119, 374, 439, 518
Bunting, Eastern Snow, 241
Indigo, 106, 608, 633
Lark, 313, 391, 633
Lazuli, 390
Painted, 103
Varied, 285
Burleigh, Thomas D. See Peters, Harold S., and —, 564
Bush-tit, Black-eared, 23
Lead-colored, 528
Butcher-bird, Pied, 71
Buteo borealis calurus, 182, 274
jamaicensis calurus, 274, 374, 531
lagopus pallidus, 439
l. s.johannis, 237, 375, 454
lineatus lineatus, 452
magnirostris alius, 116
regalis, 140, 182, 375
swainsoni, 182, 374
Butorides virescens anthonyi, 182, 274
v. eremonomus, 274
v. virescens, 274

CALAMOSPIZA melanocorys, 313, 391
Caloramphus fuliginosus fuliginosus, 556
f. hayi, 556
f. tertius, 556
Calcarius lapponicus, 133
ornatus, 463
Calhoun, John B., English Sparrow eating salt, 455
Calidris canutus canutus, 440
Callipharus nigriventris, 16
Canvas-back, 119, 261, 373
Capella delicata, 142, 183, 237, 377, 440
gallinago delicata, 340
Capito aurovirens, 548
bourcieri aequatorialis, 549
b. bourcieri, 549
b. occidentalis, 549
b. orientalis, 549
b. salvini, 549
b. tucinkae, 549
maculicoronatus maculicoronatus, 548
m. pirrensis, 548
m. rubrilateralis, 548
m. squamatus, 548
niger amazonicus, 549
n. arimae, 549
n. aurantiicinctus, 549
n. auratus, 549
n. bolivianus, 549
n. brunneipectus, 549
n. conjunctus, 549
n. dayi, 549
n. hypochondriacus, 549
n. insperatus, 549
n. intermedius, 549
n. macintyrei, 549
n. niger, 549
n. nitidior, 549
n. novaolindae, 549
n. orosae, 549
n. punctatus, 549
quinticolor hypoleucos, 548
q. quinticolor, 548
versicolor aurantiicollis, 549
v. coccineus, 549
v. glaucogularis, 549
v. nigriceps, 549
v. richardsoni, 549
v. steeri, 549
v. versicolor, 549
Caracara, 606
Pearl Island, 116
Cardinal, 131, 400, 606
Jalapa, 284
Carpodacus cassinii, 188, 390
frontalis mexicanus, 390
mexicanus frontalis, 188, 535
mexicanus potosinus, 448
Casmerodius albus, 605
albus egretta, 181
Cassicus cela flavicrissus, 456
melanurus, 456
Cassidix mexicanus major, 145
m. mexicanus, 26, 283
Castle-builder, Rufous-breasted, 18
Sooty, 18
Catbird, 385, 415, 420, 608
Catharacta antarctica lönnbergi, 441
skua antarctica, 441
s. lönnbergi, 441
Catharista urubu, 116
Cathartes aura, 116, 126
a. jota, 451
a. septentrionalis, 182
a. teter, 374
Catharus griseiceps griseiceps, 22
occidentalis alticola, 22
o. occidentalis, 283
Catherpes mexicanus conspersus, 186, 385, 533
Catoptrophorus semipalmatus inornatus, 184
Cayouette, Raymond, Another breeding record of the Ring-necked Duck for the Province of Quebec, 147
Central America, 8, 489
Centrocercus urophasianus, 183, 376
Centurus aurifrons aurifrons, 443
a. grateloupensis, 277
a. pauper, 17
carolinus, 606
c. perplexus, 443
c. zebra, 442
rubricapillus seductus, 116
r. wagleri, 17
uropygialis albescens, 443
Ceophloeus pileatus, 421
p. picinus, 185, 381
Cepphus grylle grylle, 81, 238
Cercomacra tyrannina crepera, 18

Certhia familiaris montana, 385
f. zelotes, 186
Ceryle americana hachisukai, 442
Chachalaca, Texan, 274
Chaetura major, 589
pelagica, 145, 361, 415
vauxi, 184
v. vauxi, 442
Charadrius hiaticula semipalmatus, 237, 377, 564
melodus, 564
m. circumcinctus, 440
vociferus, 132, 420, 605
v. vociferus, 183, 237, 377, 463
Charitonetta albeola, 123, 374, 439
Chat, Long-tailed, 388
Yellow-breasted, 103, 194
Chaulelasmus streperus, 121, 182, 373
Chen caerulescens, 636
Chickadee, 608
Acadian, 239
Black-capped, 49, 239, 421
Carolina, 55
Cascade Brown-headed, 445
Long-tailed, 384
Mountain, 384
Newfoundland Black-capped, 445
Short-tailed, 186
South Mexican, 282
Chicken, Prairie, 616
Chlidonias nigra surinamensis, 184, 312, 378
Chloroceryle amazona, 15, 276, 501
americana hachisukai, 442
a. leucosticta, 442
a. septentrionalis, 276
leucosticta, 442
Chlorophonia occipitalis callophrys, 25
Chlorophonia, Costa Rican, 25
Chlorospingus ophthalmicus ophthalmicus, 284
Chlorospingus, Brown-headed, 284
Chondestes grammacus strigatus, 391, 537
Chordeiles minor, 417
m. gundlachii, 442
m. hesperis, 184
m. howelli, 379, 537
Chotorea, 530
Cinclus mexicanus mexicanus, 445
m. unicolor, 385
Circus cyaneus hudsonius, 183, 375
Clangula hyemalis, 135, 237, 519
Clark, Hubert Lyman, The pteryloses of some Australian birds, 70
Cleaves, Howard, Whip-poor-will endurance, 304; Glossy Ibis on Staten Island, N. Y., 311
Clingman, George Franklin, obituary, 173
Clivicola riparia ijimae, 444
Cobb, Stanley, Numerical comparison of resident birds in Massachusetts today and forty years ago, 606
Coccyzus americanus, 417
erythrophthalmus, 415, 632
minor continentalis, 273
Coereba flaveola cerioclunis, 116
f. mexicana, 25
Colaptes auratus, 239, 605
a. borealis, 380
a. luteus, 415
cafer collaris, 184, 380
c. nanus, 442
c. sedentarius, 442
Colibri cyanotus, 16
Colinus virginianus, 126
v. virginianus, 376
Colorado, 371
Columba affinis, 140
fasciata fasciata, 378
f. monilis, 442
livia, 140
monilis, 442
Columbigallina passerina, 606
talpacoti rufipennis, 14, 116
Colymbus auritus, 132
grisegena grisegena, 437
nigricollis californicus, 372
Connecticut, 312
Conover, Boardman, The breeding Golden Plover of Alaska, 568
Cook, Faxon W., Two unusual records for North Carolina, 465
Coot, American, 142, 183, 377
Coragyps atratus, 15, 126, 137
a. foetens, 116
Cormorant, Double-crested, 236, 459, 621
Farallon, 118
Correspondence, 170, 345, 660
Corrigenda, VIII, 171

Corthylio, 447
Corvus brachyrhynchos, 126
b. caurinus, 445
b. hesperis, 384
caurinus, 445
corax, 126
c. clarionensis, 445
c. principalis, 1, 148, 239
c. sinuatus, 186, 384, 531
ossifragus, 606
Cottam, Clarence, American Eider in Delaware, 634; Whistling Swan in Maine, 634
Coturnicops noveboracensis noveboracensis, 459
Cowbird, 202, 633
Eastern, 389
Red-eyed, 283
Cracticus nigrogularis, 71
Craighill, Francis Hopkinson, obituary, 175, 660
Crane, 377
Sandhill, 132, 183
Creciscus ruber, 15
Creeper, Flesh-legged Honey, 25
Rocky Mountain, 385
Sierra, 186
Crocethia alba, 241, 454
Crossbill, Bendire's, 188, 391
Common, 448
Sitka, 151
White-winged, 240, 241
Crotophaga ani, 16, 116
sulcirostris sulcirostris, 16, 275
Crow, 3, 91, 608
Fish, 606
Western, 384
Cryptoglaux acadica, 622
a. acadica, 379
Crypturus soui modestus, 14
Cuckoo, Black-billed, 103, 415, 632
Central American Squirrel, 275
Mangrove, 275
Yellow-billed, 379, 417
Cummings, S. B., Jr. See Thornton, C. S., and —, 75
Curlew, Eskimo, 635
Hudsonian, 103, 132, 564
Curucujus melanurus macrourus, 409
Cyanecula suecica robusta, 446
Cyanerpes cyaneus carneipes, 25, 116
Cyanocephalus cyanocephalus, 528
Cyanocitta cristata, 421, 604
c. cristata, 415, 637
c. cyanoptera, 384
stelleri **atriceps**, 281
s. azteca, 279
s. coronata, 279
s. diademata, 384
s. frontalis, 186
s. percontatrix, 445
superciliosa, 445
Cyanops, 550
Cyanosylvia suecica robusta, 446
Cygnus columbianus, 126, 634
olor, 438
Cyornis hainana, 633
Cyornis, Blue-breasted, 633
Cypseloides cherriei, 586
cryptus, 588
fumigatus fumigatus, 587
f. major, 587
f. rothschildi, 589
major, 460, 589
niger borealis, 591
n. costaricensis, 591
n. niger, 591
senex, 587

DAFILA spinicauda, 267
Dates of publication of Vol. 62, II
Davis, L. Irby, Brasher's Warbler in Texas, 146; Yellow-green Vireo nesting in Cameron County, Texas, 146; Rose-throated Becard nesting in Cameron County, Texas, 316
Davis, Malcolm, A change of breeding season by Australian gulls, 137; Black-crowned Night Heron in Washington, D. C., 458; English Sparrow anting, 641; Longevity record of the Black-checked Weaver, 451; The Bald Eagle nesting in captivity, 634; Blue × Canada Goose hybrid, 636. The molt of the Emperor Penguin, 144
Davis, William B., Notes on Veracruzan birds, 272
Deignan, H. G., Blue-breasted Cyornis in the Malay Peninsula, 633
Delacour, Jean, Reviews by —, 642, 643,

645; — and Mayr, E., 'The Family Anatidae,' (rev.), 466
Dendragapus obscurus obscurus, 376
o. sierrae, 183
Dendrocincla anabatina saturata, 19
Dendroica aestiva, 447
a. aestiva, 388
a. amnicola, 240
a. morcomi, 187
auduboni, 623
a. auduboni, 187, 388
caerulescens, 426
coronata, 388, 623
c. coronata, 240, 566
c. hooveri, 388, 623
fusca, 427
gundlachi, 447
magnolia, 425
nigrescens, 187, 535, 628
palmarum, 605
pensylvanica, 240, 427
petechia, 447
p. aequatorialis, 117
p. gundlachi, 447
striata, 240
townsendi, 187, 338
virens, 426
v. waynei, 427
virginiae, 388
Denton, Fred, Apparent death of a Blue Jay from Toxoplasmosis, 637
deSchauensee, Rodolphe Meyer, On the type of *Cassicus melanurus* Cassin, 456; reviews by —, 322, 469
Dicaeum hirundinaceum, 72
Dickcissel, 103
Dicrorhynchus, 548
frantzii, 17
Diglossa baritula plumbea, 25
Diomedea nigripes, 126
Dipper, 385
Mexican, 445
Dives dives dives, 284
Dolichonyx oryzivorus, 389, 420
Dove, Buff-bellied, 275
Ground, 606
Inca, 275
Mourning, 99, 270, 300, 306, 415, 526
Red-winged, 116
Dove, Red-winged Talpacoti, 14
Ruddy Quail, 15
Verreaux's White-fronted, 15
Western Mourning, 185, 378, 536
Dovekie, 142, 238, 460, 635
Dowitcher, 132
Dryobates albolarvatus albolarvatus, 185
borealis borealis, 443
b. hylonomus, 443
pubescens leucurus, 381
p. medianus, 239, 415
scalaris scalaris, 277
villosus, 421
v. extimus, 17
v. monticola, 381
v. orius, 185
v. jardinii, 277
v. terraenovae, 239
Duck, Black, 142, 236, 253, 610, 620
Eastern Harlequin, 237, 241, 639
Greater Scaup, 373, 518
Harlequin, 519
Lesser Scaup, 119, 373
Redhead, 261
Ring-necked, 147, 373, 465
Ruddy, 119, 182, 374, 522
Western Harlequin, 519, 639
Wood, 119
Dumetella carolinensis, 385, 415, 420
Dunlin, Greenland, 440
Duvall, Allen J., Distribution and taxonomy of the Black-capped Chickadees of North America, 49; Random distributional notes, 626
Dysithamnus mentalis septentrionalis, 18

Eagle, Bald, 458, 634
Golden, 183, 375, 531
Northern Bald, 183, 237
Southern Bald, 375
Ectopistes migratorius, 452, 622
Egret, 605
American, 181
Snowy, 410
Eider, 237
American, 242, 634
King, 237
Pacific, 627

Elaenia chiriquensis chiriquensis, 19
flavogaster subpagana, 19
Elaenia, Lawrence's, 19
Northern Yellow-bellied, 19
Electron platyrhynchus, 495
Emery, Dan, Hybrid between Snow and Blue Goose in Washington, D. C., 636
Empidonax affinis affinis, 278
difficilis difficilis, 185, 382
hammondi, 185, 382
hammondii, 443
minimus, 382
traillii brewsteri, 185, 382
t. traillii, 130
wrighti, 185, 382
wrightii, 444
Ereunetes mauri, 378
Ergaticus ruber versicolor, 23
Erismatura dominica, 439
jamaicensis, 522
j. rubida, 124, 182, 374
Ernsberger, Millard Clayton, obituary, 661
Ernst, Stanton Grant, The food of the Red-shouldered Hawk in New York State, 452
Erolia alpina arctica, 440
a. sakhalina, 238
fuscicollis, 238, 241
minutilla, 238
ptilocnemis tschuktschorum, 440
Erythrobucco, 557
Eubucco, 547
Eucometis penicillata stictothorax, 25
Eugenes fulgens, 630
Eumomota superciliosa, 490
s. bipartita, 15
Euphagus carolinus, 240, 389
cyanocephalus, 188, 389
Euphonia, Bonaparte's, 25
Yellow-crowned, 25

FALCO calidus, 439
columbarius, 126
c. bendirei, 183
c. columbarius, 237
c. richardsoni, 375
c. subaesalon, 439
mexicanus, 126, 140, 183, 375
peregrinus, 126
Falco peregrinus anatum, 145, 237, 375, 456
p. calidus, 439
sparverius, 126
s. guadalupensis, 439
s. phalaena, 439
s. sparverius, 140, 183, 237, 274, 376, 439, 531
s. tropicalis, 274
subaesalon, 439
Falcon, Peregrine, 257
Prairie, 183, 375
Siberian Peregrine, 439
Fieldfare, 446
Finch, Black Rosy, 390
Brown-capped Rosy, 390
Cassin's Purple, 180, 188, 390
Common House, 188, 390, 535
Gray-crowned Rosy, 390
Hepburn's Rosy, 390
Pribilof Rosy, 448
San Luis House, 448
Findley, James S., Western Grebe in Michigan, 312
Fisher, A. K., Obituary of Gustave Kohn, 661
Fisher, Harvey I., Flying ability and the anterior intermuscular line on the coracoid, 125
Flat-bill, Gray-headed, 21
Short-billed, 20
Western Golden-crowned, 20
Flicker, 131, 239, 605
Boreal, 380
Dwarf Red-shafted, 442
Mexican Red-shafted, 277
Northern, 415
Red-shafted, 184, 380
Santa Cruz Red-shafted, 442
Florida caerulea, 605
Flower-piercer, Costa Rican, 25
Flycatcher, Acadian, 103, 400
Alder, 103, 130
Ash-throated, 533
Black-hooded, 20
Bran-colored, 19, 117
Chipsacheery, 20
Colombian Royal, 20
Colombian Vermilion-crowned, 20
Crested, 190, 608

Flycatcher, Fulvous-breasted, 278
Fulvous-throated, 20
Giraud's, 20, 278
Gray-capped, 12, 19
Greater Striped, 278
Guerrero, 443
Hammond's, 185, 382
Lawrence's Spade-billed, 20
Least, 103, 382, 608
Little, 185, 382
Matagalpa, 19
Mexican Boat-billed, 19, 278
Mexican Royal, 20
Noble, 19
Olive-sided, 103, 185, 382
Panama, 117
Santa Marta Fork-tailed, 443
Scissor-tailed, 103
Smooth, 117
Striped, 19
Sulphur-bellied, 19, 278
Western, 185, 382
Wright's, 185, 382
Yellow-bellied, 103
Zimmer's, 117
Francolinus sephaena, 225
Fratercula arctica arctica, 238
Fregetta tropica tropica, 438
Friedmann, Herbert, *Cypseloides major* in Bolivia, 460
Fulica americana, 266
a. americana, 183, 377
Fulmar, Atlantic, 236, 241
Fulmarus glacialis glacialis, 236

GADWALL, 119, 182, 373
Galbula melanogenia, 17
Galliformes, 223
Gallinula chloropus cachinnans, 377
Gallinule, Florida, 377
Purple, 15
Gannet, 236, 311
Garuma, 450
Gavia immer, 38, 126
i. immer, 236, 635
pacifica, 126
stellata, 126, 236, 241, 635
Gelochelidon nilotica aranea, 639
Gem, Costa Rican Mountain, 16
General Notes, 135, 299, 450, 620
Geothlypis trichas, 429
t. occidentalis, 188, 388
t. typhicola, 447
Glaucidium gnoma gnoma, 442
Glaucionetta albeola 439, 518
clangula americana, 123, 252, 374, 465, 518
islandica, 374, 518
Glenny, Fred H., A study of the main arteries in the neck and thorax of *Oriolus chinensis diffusus*, 611; A systematic study of the main arteries in the region of the heart—Aves VI, Trogoniformes, Part 2, 409; idem, Aves VIX, Gruiformes, Part 1, 266
Gnatcatcher, Blue-gray, 396, 400
Lawrence's, 21
San Francisquito, 447
Sonora, 446
Western, 534
Godfrey, W. Earl, Sitka Crossbills in Massachusetts, 151
Godwit, Hudsonian, 133
Marbled, 635
Golden-eye, 132, 252, 465
American, 119, 374, 403, 518
Barrow's, 40, 374, 518
Goldfinch, 608
American, 141
Arkansas, 285, 391
Eastern, 391
European, 306
Northwestern, 448
Goodall, J. D.; Phillipi B., R. A.; and Johnson, A. W., Nesting habits of the Peruvian Gray Gull, 450
Goose, Blue, 636
Canada, 132, 261, 373, 636, 640
Common Canada, 104, 182, 236
Lesser Canada, 104
Snow, 636
Ungava Canada, 438
White-fronted, 309
Goshawk, Eastern, 374
Grackle, Boat-tailed, 145
Bronzed, 170, 389, 415
Great-tailed, 26, 283
Purple, 170, 455
Graefe, C. F., and Hollander, W. F., A pale mutant Mourning Dove, 300

Grallina cyanoleuca, 71
Grant, Robert H., Chestnut-collared Longspur on Long Island, 463
Grassquit, 24
Grebe, Eared, 372
Horned, 132
Pied-billed, 132, 181, 372
Red-necked, 437
Western, 181, 312, 372, 461
Greeley, Frederick. See Thornton, C. S., and —, 75
Greene, Earle R.; Griffin, William W.; Odum, Eugene P.; Stoddard, Herbert L.; and Tomkins, Ivan R., 'Birds of Georgia,' (rev.), 467
Griffin, William W. See Greene, Earle R., and —, 467
Grinnell, Joseph, and Miller, Alden H., 'The Distribution of the Birds of California,' (rev.), 467
Grinnell, L. I., A correction, 317
Griscom, Ludlow, Barrow's Golden-eye in Massachusetts, 401; 'Modern Bird Study,' (rev.), 643; review by —, 319
Grosbeak, Blue, 103, 314
Canadian Pine, 240
Lesser Rice, 24
Mexican Evening, 285
Rocky Mountain, 390
Rocky Mountain Pine, 390
Rose-breasted, 103
Western Evening, 188
Groskin, Horace, Chimney Swifts roosting at Ardmore, Pennsylvania, 361
Gross, Alfred O., The Black Duck nesting on the outer coastal islands of Maine, 620; The present status of the Great Black-backed Gull on the coast of Maine, 241
Grouse, Alaska Sharp-tailed, 440
Dusky, 376
Gray Ruffed, 376
Hoary Ruffed, 439
Red, 224
Ruffed, 453
Sierra, 183
Grus antigone, 266
canadensis, 132
c. canadensis, 377
c. tabida, 183, 377
Guara alba, 627
Guillemot, Black, 81, 238
Guinea-fowl, 225
Guiraca caerulea caerulea, 314
Gull, Australian Silver, 137
Bonaparte's, 635
California, 184
Glaucous, 238
Great Black-backed, 142, 238, 241, 634, 635
Herring, 131, 238, 241, 610, 620
Ivory, 238
Kumlien's, 441
Laughing, 412
Peruvian Gray, 450
Point Barrow, 441
Ring-billed, 184, 378, 606
Sabine's, 372
Southern Sabine's, 441
Gunter, Gordon, A record of the Gannet from the Texas coast, 311
Gymnobucco bonapartei bonapartei, 558
b. cinereiceps, 558
b. intermedius, 558
calvus calvus, 558
c. major, 558
c. vernayi, 558
peli peli, 558
p. sladeni, 558
Gymnogyps californianus, 216
Gymnostinops montezuma, 26

HABIA gutturalis salvini, 284
Haematopus palliatus palliatus, 116
Hagar, Mrs. Conger M., Harlequin Duck on the Texas coast, 639
Haliaeetus leucocephalus, 634
l. leucocephalus, 375
l. washingtoninensis, 183, 237
Hallstrom, E. J. L. See Mathews, Gregory, M. and —, 153
Hann, Harry W., 'An Introduction to Ornithology,' (rev.), 468; 'Ornithology Notebook,' (rev.), 468
Hardy, Ross, Breeding birds of the pigmy conifers in the Book Cliff region of eastern Utah, 523
Harris, William G. F., Yellow Rail nesting in Massachusetts, 459

Hawk, American Rough-legged, 237, 375, 454
Broad-winged, 105
Cooper's, 182, 237
Duck, 91, 145, 237, 261, 456
Eastern Pigeon, 237
Eastern Sparrow, 183, 237, 274, 531
Guadelupe Sparrow, 439
Marsh, 183, 261
Pearl Island, 116
Pigeon, 99
Red-shouldered, 452
Sharp-shinned, 182, 374
Siberian Rough-legged, 439
Sparrow, 100, 181
Swainson's, 182, 374
Western Harris's, 439
Western Pigeon, 183
Western Red-tailed, 182, 274, 374, 531
Hedymeles melanocephalus melanocephalus, 390
Heiser, Joseph M., Eskimo Curlew in Texas, 635; Swallow-tailed Kite in Texas, 636
Heleodytes rufinucha rufinucha, 282
zonatus zonatus, 22
Hemiprocne fumigata, 587
Hen, Sage, 183, 376
Henicorhina leucophrys collina, 22
Herman, William Cephas, obituary, 174
Hermit, Dusky, 16
Heron, Anthony's Green, 182
Black-crowned Night, 182, 260, 373, 458, 610, 621
Common, 257
Great Blue, 99, 621
Great Gray, 258
Green, 274, 610
Little Blue, 106, 605
Louisiana, 145
Treganza's, 181, 372
Hesperiphona vespertina brooksi, 188, 390
v. montana, 285
Hicks, Lawrence, E., Blue Grosbeak breeding in Ohio, 314; Hooded Merganser breeding in Ohio, 315; Yellow-headed Blackbird breeding in Ohio, 314; Report of the Secretary, 348
Hill, Norman P., The 1944 hurricane in New England, 410
Hirundo, 72
erythrogaster, 185, 415
gutturalis, 444
rustica erythrogaster, 130, 241, 383, 565
r. gutturalis, 444
Histrionicus histrionicus, 519
h. histrionicus, 237, 241, 639
h. pacificus, 519
Hochbaum, H. Albert, 'The Canvasback on a Prairie Marsh,' (rev.), 318
Hollander, W. F. See Graefe, C. E., and —, 300
Howard, Hildegarde, Observations on young tarsometatarsi of the fossil turkey, *Parapavo californicus* (Miller), 596
Howell, A. Brazier, 'Speed in Animals,' (rev.), 152
Hummingbird, Black-bellied, 16
Broad-tailed, 380, 533, 631
Calliope, 184
Rieffer's, 16
Rivoli's, 630
Rufous, 184, 380, 631
White-eared, 16
Hybrids, 623, 636
Hydranassa tricolor ruficollis, 145
Hydroprogne caspia, 441, 639
c. imperator, 312, 314, 441
Hylocharis leucotis borealis, 442
l. leucotis, 16, 442
Hylocichla fuscescens, 422
f. fuliginosa, 446, 565
f. salicicola, 386
guttata, 422
g. auduboni, 386
g. faxoni, 239
g. oromela, 345
g. sequoiensis, 187
minima aliciae, 239
mustelina, 422, 633
ustulata almae, 386
u. ustulata, 386
Hylophylax naevioides naevioides, 18

Ibis, Glossy, 311
White, 627

Ibis, White-faced Glossy, 373
Icteria virens longicauda, 388
Icterus bullockii,, 188, 389
galbula, 117, 415
gularis tamaulipensis, 284, 448
mesomelas mesomelas, 26
pustulatus microstictus, 448
spurius, 284
Incubation, 8, 148, 194, 499
Ionornis martinica, 15
Iridoprocne bicolor, 133, 185, 383

JACAMAR, Black-chinned, 17
Jaeger, Long-tailed, 635
Parasitic, 412
Pomarine, 465
Jay, Blue, 421, 604, 608, 637
Blue-crested, 279
Blue-fronted, 186
Brown, 279
Canada, 455, 457
Central American Brown, 26
Desert California, 445
Green, 186, 279
Labrador, 239
Long-crested, 384
Nevada Crested, 445
Northern Blue, 415
Pacific Canada, 444
Piñon, 384, 527
Rocky Mountain, 383
Sieber's, 279
Sumichrast's, 279
Western Blue, 384
Johnson, A. W. See Goodall, A. W., and —, 450
Junco caniceps, 392
c. caniceps, 449, 628
c. dorsalis, 449
cismontanus, 449
hyemalis cismontanus, 449, 628
h. hyemalis, 240, 391, 628
oreganus mearnsi, 392, 628
o. montanus, 392, 628
o. shufeldti, 392
o. thurberi, 189
phaenotus dorsalis, 449
p. phaeonotus, 286
Junco, 628
Cassiar, 449
Junco, Gray-headed, 392
Mexican, 286
Montana, 392
Pink-sided, 392
Shufeldt's, 392
Slate-colored, 240, 391
Thurber's, 189

KELKER, William Anthony, obituary, 174
Kendeigh, S. Charles, Community selection by birds on the Helderberg Plateau of New York, 418
Killdeer, 132, 183, 237, 377, 420, 463, 605
Kimball, Heathcote, Louisiana Heron in Virginia in December, 145
Kingbird, 608
Arkansas, 103, 147, 185, 382, 462
Berlepsch's, 21, 116
Cassin's, 382
Couch's, 278
Eastern, 106, 185, 381, 415, 462
Gray, 103, 462
Kingfisher, Amazon, 15, 276, 501
Belted, 99
Eastern Belted, 239, 380
Ringed, 15, 116, 276
Texas Green, 276
Western Belted, 184
Kinglet, Eastern Golden-crowned, 239, 566
Eastern Ruby-crowned, 239, 387
Ruby-crowned, 180, 396
Western Golden-crowned, 187, 387
Western Ruby-crowned, 187
Kite, Swallow-tailed, 636
Kittiwake, Atlantic, 238, 635
Knot, 103
Old World, 440
Kohn, Gustave, obituary of —, 661
Kramer, Evelyn Y. and Quintin, Long-tailed Jaeger and other birds at Island Beach, New Jersey, 635

LABRADOR, 234
Lack, David, 'The Galapagos Finches,' (rev.), 644
Lafresnaye, Baron F. de, biography of —, 227
Lagopus lagopus, 132, 638

Lagopus lagopus alleni, 237
leucurus saxatilis, 440
mutus captus, 440
m. gabrielsoni, 440
m. groenlandicus, 440
m. welchi, 237
scoticus, 224
Lanius excubitor borealis, 133, 239
e. invictus, 387
ludovicianus, 604
l. excubitorides, 387
l. gambeli, 187
Lark, Horned, 149, 239, 317, 527
Desert Horned, 382
Mexican Horned, 278
Prairie Horned, 463
St. Helens Horned, 444
Sierra Nevada Horned, 444
Wood, 306
Larus argentatus smithsonianus, 381, 635
delawarensis, 606
hyperboreus, 238
h. barrovianus, 441
h. hyperboreus, 441
kumlieni, 441
leucopterus kumlieni, 441
l. leucopterus, 441
marinus, 238, 634, 635
modestus, 450
novaehollandiae, 137
philadelphia, 635
ridibundus sibiricus, 313
Legatus leucophaius leucophaius, 19
l. variegatus, 278
Leistes humeralis, 447
Lepidocolaptes affinis affinis, 277
s. neglectus, 18
souleyetii compressus, 18
Leptotila verreauxi fulviventris, 275
v. verreauxi, 15
Lestris antarcticus, 441
Leucosticte atrata, 390
australis, 390
tephrocotis littoralis, 390
t. tephrocotis, 390
t. umbrina, 448
Lewis, Frederic T., Cotton Mather's manuscript references to the Passenger Pigeon, 306
Limnodromus griseus, 132
Limnothlypis swainsonii, 395
Lobipes lobatus, 238, 565
Lochmias nematura nelsoni, 113
n. obscurata, 113
n. sororia, 113
Longspur, Chestnut-collared, 463
Lapland, 133, 317
Longstreet, R. J., Leach's Petrel in Florida, 148
Loomis, Evarts G., Notes on birds of northern Newfoundland and Labrador, 234
Loon, 38
Arctic, 131
Common, 236, 635
Red-throated, 236, 635
Lophodytes cucullatus, 315, 460, 461, 465
Lorikeet, Fijian Mountain, 139
Loxia c. curvirostra, 448
c. bendirei, 188, 391
c. sitkensis, 151
leucoptera leucoptera, 240, 241, 391
Lumsden, H. G., Records from Churchill, Manitoba, 314
Lybius bidentatus aequatorialis, 561
b. aethiops, 561
b. bidentatus, 561
diadematum diadematum, 560
d. frontatum, 560
d. massaicum, 560
d. mustum, 560
dubius, 561
guifsobalito guifsobalito, 561
g. ugandae, 561
hirsutum angolense, 560
h. ansorgii, 560
h. chapini, 560
h. flavipunctatum, 560
h. hirsutum, 560
h. hybridum, 560
lacrymosum lacrymosum, 560
l. radcliffei, 560
l. ruahae, 560
leucocephalus adamanae, 561
l. albicaudus, 591
l. leucocephalus, 561
l. leucogaster, 561
l. lynesi, 561

Lybius leucocephalus senex, 561
leucomelas centralis, 560
l. namaqua, 560
l. nkatiensis, 560
l. intercedens, 560
l. levaillantii, 560
l. macclounii, 560
melanocephalus blandi, 560
m. flavibuccale, 560
m. melanocephalus, 560
m. stigmatothorax, 560
melanopterus, 561
rolleti, 561
torquatus congicus, 561
t. irroratus, 561
t. torquatus, 561
undatus gardullensis, 560
u. leucogenys, 560
u. salvadorii, 560
u. thiogaster, 560
u. undatus, 560
vieilloti rubescens, 561
v. vieilloti, 561

MAGPIE, American, 384, 534
Bell, 70
Magpie-Lark, Australian, 71
Mallard, 104, 119, 261, 610
Common, 182
Manacus aurantiacus, 21
Manakin, Salvin's, 21
Velvety, 21
Manitoba, 129
Mareca americana, 121, 147, 373
penelope, 147
Marshall, David B. See McAllister, Thomas H., Jr., and —, 177
Martin, Sinaloa, 308
Massachusetts, 606
Mathews, Gregory M., and Hallstrom, E. J. L., 'Notes on the Order Procellariiformes,' (rev.), 153
May, Franklin H., Ptilology—a proposed names for the general study of the plumage of birds, 308
Mayr, Ernst, Obituary of Hugh Birckhead, 346; The correct name of the Fijian Mountain Lorikeet, 139; review by —, 322; 'Birds of the Southwest Pacific' (rev.), 319; 'The Birds of Timor and Sumba,' (rev.), 469; See Delacour, Jean, and —, 466
McAllister, Thomas H., and Marshall, David B., Summer birds of the Fremont National Forest, Oregon, 177
McAtee, W. L., *Branta c. hutchinsi* on the Atlantic Coast, 461; Catesby's Tropic-bird, 137; Interior records of Brant, 464; Obituary of Dayton Stoner, 172; The nomenclature of William Bartram, 345; Wherein lies the economic value of birds, 149; — and Stoddard, Herbert L., Wettable water birds, 303
McClure, H. Elliott, Effects of a tornado on bird life, 414; Reaction of the Mourning Dove to colored eggs, 270
McIlhenny, E. A., An unusual feeding habit of the Black Vulture, 136
Meade, Gordon M., and Seagears, Clayton B., White Pelican in New York State, 637
Meadowlark, 413, 420
Eastern, 463, 633
Western, 133, 188, 389, 633
Meanley, Brooke, Notes on Swainson's Warbler in central Georgia, 395
Megaceryle alcyon alcyon, 239, 380
a. caurina, 184
torquata, 15
t. torquata, 116, 276
Megalaima armillaris armillaris, 555
a. baliensis, 555
a. brachyrhyncha, 555
a. henrici, 555
a. pulcherrima, 555
asiatica asiatica, 554
a. chersonesus, 554
a. davisoni, 554
a. rubescens, 554
australis australis, 555
a. cyanea, 555
a. cyanotis, 555
a. duvacelii, 555
a. eximia, 555
a. gigantorhina, 555
a. hebereri, 555
a. invisa, 555
a. orientalis, 555
a. stuarti, 555

Megalaima australis tanamassae, 555
chrysopogon chrysopogon, 553
c. chrysopsis, 553
corvina, 553
faiostricta faiostricta, 553
f. praetermissa, 553
franklini auricularis, 553
f. franklinii, 553
f. minor, 553
f. ramsayi, 553
f. trangensis, 553
flavifrons, 555
haemacephala confusa, 555
h. delica, 555
h. haemacephala, 555
h. indica, 555
h. intermedia, 555
h. rosea, 555
incognita euroa, 554
i. incognita, 554
javensis, 554
lagrandieri lagrandieri, 552
l. rothschildi, 552
monticola, 554
mystacophanes ampala, 554
m. mystacophanes, 554
oorti anamensis, 554
o. faber, 554
o. nuchalis, 554
o. oorti, 554
o. sini, 554
rafflesii malayensis, 554
r. rafflesii, 554
robustirostris, 555
rubricapilla malabarica, 555
r. rubricapilla, 555
virens clamator, 552
v. magnifica, 552
v. marshallorum, 552
v. virens, 552
viridis, 553
zeylanica caniceps, 552
z. hodgsoni, 552
z. inornata, 552
z. kangrae, 552
z. lineata, 552
z. zeylanica, 552
Megapodius nicobariensis, 224
reinwardt, 224
Megarhynchus pitangua mexicanus, 19, 278
Melanerpes erythrocephalus, 415, 605
e. caurinus, 380
Melanitta fusca deglandi, 132, 237, 241, 520
perspicillata, 241, 521
Melanotis caerulescens caerulescens, 282
c. hypoleucus, 22
Meleagris gallopavo, 225, 599
g. osceola, 225
Melospiza georgiana, 241
g. ericrypta, 567
lincolnii, 393
l. lincolnii, 189, 340
melodia, 131, 302, 420
m. fallax, 393, 449
m. fisherella, 189
m. melodia, 463, 567
m. montana, 449
m. virginis, 449
Mendall, Howard L., Canada Goose nesting in Maine, 640; Redhead breeding in New Brunswick, 465; — and Aldous, Clarence M., 'The Ecology and Management of the American Woodcock,' (rev.), 153
Menura, 70
Merganser, 520,
American, 119, 237, 374
Hooded, 315, 374, 460, 461
Red-breasted, 119, 132, 237, 241, 374, 522
Mergus merganser americanus, 123, 237, 374, 460
serrator, 124, 237, 374, 460
Merlin, Iceland, 439
México, 272
Mezobucco, 551
Michigan, 312
Mieropalama himantopus, 133
Micropogonius, 557
Miller, Alden H. See Grinnell, Joseph, and —, 467
Milvago chimachima cordatus, 116
Mimus polyglottos, 301, 604
p. leucopterus, 385
Mniotilta varia, 424
Mockingbird, 301, 604
Blue, 282
Western, 385
White-breasted Blue, 22

Molothrus ater, 314
a. ater, 389, 633
Momotus caeruliceps, 276
castaneiceps, 490
lessonii, 493
Mona Island, 299
Moore, Robert T., Sinaloa Martin nesting in western Mexico, 308
Moris bassana, 236, 311
Morris, Lewis Rutherford, obituary of —, 174
Motacilla, 72
Motmot, Blue-crowned, 276
Blue-throated Green, 15, 489
Broad-billed, 495
Chestnut-headed, 490
Great Rufous, 490
Green-breasted Turquoise-browed, 15
Lesson's, 493
Turquoise-browed, 490
Munro, J. A., Observations of the Loon in the Cariboo Parklands, British Columbia, 38
Murie, O. J., *Larus ridibundus sibiricus* from the Aleutian Islands, 313
Murphy, Robert Cushman, Middle 19th-Century introduction of British Birds to Long Island, N. Y., 306; Notes on Pearl Islands ornithology, 114; reviews by —, 153, 642
Murray, J. J., A Raven's nest near Lexington, Virginia, 148; Food of the Raven in Virginia, 306
Murre, 518
Atlantic, 238
Brünnich's, 238
North Pacific, 441
Murrelet, Marbled, 518
Muscivora tyrannus sanctaemartae, 443
Musselman, T. E., Bald Eagles and Woodcocks in central-western Illinois, 458
Myadestes obscurus, 495
o. obscurus, 283
ralloides melanops, 22
townsendi, 187, 386
Myiarchus cinerascens cinerascens, 533
ferox panamensis, 116
inquietus, 443
Myiarchus nuttingi inquietus, 443
tuberculifer connectens, 19
Myiobius atricaudus atricaudus, 19
Myiobius, Black-tailed, 19
Southern Sulphur-rumped, 19
Myioborus miniatus aurantiacus, 23
m. connectens, 23
torquatus, 23
Myioborus Collared, 23
Intermediate, 23
Orange-bellied, 23
Myiochanes cinereus brachytarsus, 19
richardsonii richardsonii, 185, 382
r. sordidulus, 278
Myiodynastes luteiventris, 19
l. luteiventris, 278
maculatus difficilis, 116
m. nobilis, 19
Myiophobus fasciatus furfurosus, 19, 116
Myiozetetes granadensis granadensis, 19
similis columbianus, 20
s. texensis, 20, 278
Myrmotherula axillaris albigula, 18

NANNUS troglodytes stevensoni, 446
Nelson, Arnold L. See Nestler, Ralph B. and —, 217
Nephocaetes, 589
Nephoecetes niger costaricensis, 587
Nestler, Ralph B., and Nelson, Arnold L., Inbreeding among pen-reared quail, 217
Nestlings, 8, 189, 502
Newfoundland, 234
Nice, Margaret M., How many times does a Song Sparrow sing one song, 302; Cowbirds anting, 302
Nicol, J. A. C., The homing ability of the carrier pigeon; its value in warfare, 286
Nighthawk, 105, 417
Cuban, 442
Howell's, 379, 537
Pacific, 184
Nightingale-Thrush, Gray-headed, 9, 22
Guatemalan, 22
Nomonyx dominicus, 439
Norris-Elye, L. T. S., Heat insulation in the tarsi and toes of birds, 455
Notes and News, 171, 347, 488, 659

Notiochelidon pileata, 492
Nucifraga columbiana, 186, 384
Numenius phaeopus hudsonicus, 132, 237, 564
p. variegatus, 440
Numida meleagris, 225
Nutcracker, Clark's, 186, 384
Nuthatch, Black-eared, 186, 384
Mexican White-breasted, 445
Red-breasted, 186, 239, 384, 622
Rocky Mountain, 186, 384
White-breasted, 421
Yellow-naped Pygmy, 282
Nuttallornis borealis, 444
mesoleucus, 185, 382, 444
Nyctea scandiaca, 239
Nycticorax nycticorax hoactli, 182, 373
n. naevius, 458
violaceus, 267
Nyctidromus albicollis albicollis, 15
Nyroca, 438
affinis, 123, 373
americana, 122, 182, 373, 465
collaris, 147, 373, 465
marila nearctica, 373
valisineria, 122, 373

OBERHOLSERIA chlorura, 189, 391
Obituaries: Edward Charles Stuart Baker, 172; Hugh Birckhead, 346; George Franklin Clingman, 173; Francis Hopkinson Craighill [Smith], 175, 663; Millard Clayton Ernsberger, 661; William Cephas Herman, 174; Gustave Kohn, 661; Lewis Rutherford Morris, 174; Ronald Ward Smith, 346; Dayton Stoner, 172; George Whitney White, 175; Robert Statham Williams, 662
Oceanodroma furcata furcata, 438
f. plumbea, 438
leucorhoa leucorhoa, 148, 236
Odontophorus gujanensis, 225
g. castigatus, 14
Odum, Eugene P. See Greene, Earle R., and —, 467
Oenanthe oenanthe leucorhoa, 631
Ohio, 313, 314, 315
Oidemia americana, 522
Old-squaw, 132, 135, 237, 519
Olivier, Georges, 'Monographie des Pies Grièches du Genre *Lanius*,' (rev.), 645
Onychorhynchus mexicanus fraterculus, 20
m. mexicanus, 20
Opisthocomidae, 226
Oporornis tolmiei, 187, 388, 628
Oregon, 177
Oreopeleia montana montana, 15, 442
Oreopyra castaneoventris calolaema, 16
Oreortyx picta 126
Oreoscoptes montanus, 187, 386
Oriole, Alta Mira, 284, 448
Baltimore, 103, 117, 415, 608
Bullock's, 188, 389
Orchard, 131, 284
Western Scarlet-headed, 448
Yellow-tailed, 26
Oriolus chinensis diffusus, 611
galbula, 74
Oropendola, Montezuma, 26
Pale-naped, 26
Ortalida McCalli, 439
Ortalis vetula, 224
v. mccalli, 274, 439
v. vetula, 439
Oryzoborus funereus, 24
Osprey, 237, 375, 605, 621
Otocoris alpestris, 239
a. alpina, 444
a. chrysolaema, 278
a. leucolaema, 382
a. praticola, 463
a. sierrae, 444
Otus asio maxwelliae, 379
a. naevius, 415
flammeolus flammeolus, 379
Oven-bird, 194, 428, 609
Gray, 447
Newfoundland, 447
Owl, Central American Barn, 275
Eastern Screech, 415
Flammulated Screech, 379
Great Gray, 627, 629
Great Horned, 405, 421
Labrador Horned, 239
Long-eared, 379
Mexican Pygmy, 442
Montana Great Horned, 379, 531
Pacific Horned, 184

Owl, Richardson's 629
Rocky Mountain Pigmy, 379
Rocky Mountain Screech, 379
Saw-whet, 379, 622
Short-eared, 239, 565
Snowy, 239, 592
Oyster-catcher, American, 116, 307

PACHYRAMPHUS cinnamomeus cinnamomeus, 21
polychoptera similis, 21
Pachysylvia ochraceiceps ochraceiceps, 23
Pachysylvia, Tawny-crowned, 23
Packard, Fred Mallery, On *Hylocichla guttata oromela*, 345; Possible intergrades between the Myrtle and Audubon Warblers, 623; Sight record of the Western Grebe on Long Island, 461; The birds of Rocky Mountain National Park, Colorado, 371
Pagophila eburnea, 238
Palmer, T. S., Deceased members of the A. O. U. since 1940, XI; Obituary of Edward Charles Stuart Baker, 172; —, George Franklin Clingman, 173; —, Millard Clayton Ernsberger, 661; William Cephas Herman, 174; —, William Anthony Kelker, 174; —, Lewis Rutherford Morris, 174; —, Francis Hopkinson Craighill, 175, 663; George Whitney White, 175; Occurrence of the Golden Plover in Nicaragua, 171; The Deane Collection, 171
Panamá, 111
Pandion haliaetus, 605
h. carolinensis, 237, 375
Pangburn, Clifford, Extraordinary fatality to a Blue-winged Teal, 142; The Phainopepla near San Antonio, Texas, 146; The Woodcock at San Antonio, Texas, 142
Parabuteo unicinctus superior, 439
Paradisaea apoda, 70
Parapavo californicus, 596
Paroquet, Aztec, 275
Barred, 275
Partridge, Chiriquí, 14
Chukar, 225
Hungarian, 225
Parus albescens, 59
atricapillus, 421
a. anamesus, 56
a. atricapillus, 52, 239
a. bartletti, 445
a. fortuitus, 61
a. frigoris, 57
a. nevadensis, 61
a. occidentalis, 64
a. practicus, 54
a. septentrionalis, 59, 384
a. turneri, 65
canadensis atricapillus, 52
carolinensis, 55
frigoris, 57
gambeli abbreviatus, 186
g. gambeli, 384
hudsonicus, 54
h. cascadensis, 445
h. littoralis, 239
inornatus ridgwayi, 528
littoralis, 54
lugubris, 51
major, 51
melanocephalus, 52
occidentalis, 64
palustris, 51
sclateri sclateri, 282
Passer domesticus, 415, 455
d. domesticus, 188, 389, 641
Passerculus princeps, 628
sandwichensis, 240
s. nevadensis, 189, 391
s. rufofuscus, 448
s. savanna, 463
Passerella iliaca fulva, 189
i. hyperborea, 449
i. iliaca, 240, 393
i. insularis, 449
i. mariposae, 449
i. monoensis, 449
i. schistacea, 393
Passerina amoena, 390
cyanea, 633
versicolor versicolor, 274, 285
Pauraque, 10, 15
Pearl Islands, 114
Pearse, Theed, Records of the European Widgeon on the east coast of Vancouver Island, British Columbia, 147

Pedioecetes phasianellus caurus, 440
Pelecanus erythrorhynchos, 181
erythrorhynchus, 372, 465, 637
occidentalis, 126
o. californicus, 581
o. carolinensis, 579
o. murphyi, 583
o. occidentalis, 578
o. relictus, 580
o. thagus, 585
o. urinator, 582
onocrotalus, 577
Pelican, Brown, 577
White, 107, 181, 372, 465, 637
Penard, Thomas E., Lafresnaye, 227
Penguin, Emperor, 144
Penthestes, 50
atricapillus aldrichi, 52
a. anamesus, 56
a. bartletti, 57, 445
a. fortuitus, 61
a. nevadensis, 61
a. practicus, 52
Perdix perdix, 225
Perisoreus canadensis, 458
c. albescens, 627
c. capitalis, 383
c. nigricapillus, 239
c. pacificus, 444
Peters, Harold S., and Burleigh, Thomas D., Some new records from Newfoundland, 564
Petrel, Black-bellied, 438
Cook's, 438
Leach's, 33, 148, 412
South Trinidad, 437
Southern Fork-tailed, 438
White-bellied, 438
Petrides, George A., First-winter plumages in the Galliformes, 223
Petrochelidon lunifrons, 444
pyrrhonota albifrons, 207, 383
p. hypopolia, 444
p. melanogaster, 444
p. minima, 444
p. pyrrhonota, 185
Pewee, Short-legged, 19
Western Wood, 185, 382
Wood, 190, 400
Phaenicophaeinae, 442
Phaethon aethereus, 137
americanus, 139
catesbyi, 138
flavirostris, 139
indicus, 138
lepturus americanus, 139
l. catesbyi, 137
rubricauda rothschildi, 137
Phaethornis adolphi saturatus, 16
Phainopepla nitens, 146
Phainopepla, 146
Phalacrocorax auritus, 126, 459
a. albociliatus, 181
a. auritus, 236
Phalaenoptilus nuttallii adustus, 442
Phalarope, Northern, 133, 238, 565
Red, 238, 412
Wilson's, 184, 378
Phalaropus fulicarius, 238
Pharomachrus mocinno costaricensis, 16, 409
Phasianus colchicus, 225
c. torquatus, 376, 454
Pheasant, 527
Reeves's, 225
Ring-necked, 225, 376, 454, 607
Philippi B., R. A. See Goodall, J. D., and —, 450
Philohela minor, 142
Phoebe, 99, 259, 608
Black, 277
Say's, 185, 277, 382, 533
Yukon, 443
Piaya cayana thermophila, 275
Pica pica hudsonia, 186, 384, 534
Picoides arcticus, 185
tridactylus dorsalis, 381
Piculet, Veragua, 17
Piculus rubiginosus uropygialis, 17
Picumnus olivaceus flavotinctus, 17
Picus zebra, 442
Pigeon, Carrier, 286
Domestic, 140
Passenger, 136, 306, 307, 452, 622
Western Band-tailed, 442
Pinicola enucleator leucura, 240
e. montana, 390
Pintail, 119
American, 121
Old World, 438

Pinto, Oliverio Mário de Oliveira, 'Catálogo des Aves do Brasil, 2. a. Parte,' (rev.), 470
Pipilo erythrophthalmus, 420
fuscus potosinus, 285
maculatus montanus, 391
ocai ocai, 285
Pipit, American, 239, 635
Petchora, 447
Rocky Mountain, 387
Western, 187
Pipra coronata velutina, 21
Pipromorpha oleaginea assimilis, 20
o. dyscola, 20
Pipromorpha, Costa Rican, 20
Mexican, 20
Piranga bidentata sanguinolenta, 284
flava dextra, 284
ludoviciana, 188, 389
Plagiospiza superciliosa superciliosa, 285
Plath, Karl, Color change in *Ramphocelus flammigerus*, 304
Platypsaris aglaiae, 316
a. albiventris, 317
a. richmondi, 317
a. sumichrasti, 21
Platyrinchus coronatus superciliaris, 20
Plautus alle, 238
a. alle, 441
Plectrophenax nivalis nivalis, 241
Plegadis falcinellus falcinellus, 311
guarauna, 373, 438
mexicana, 438
Ploceus intermedius, 451
Plover, Black-bellied, 237, 635
Golden, 103, 131, 171, 303, 313, 568
Piping, 564
Semipalmated, 133, 237, 377, 564
Upland, 103
Wilson's, 410
Pluvialis dominica dominica, 303, 568
d. fulva, 568
Podilymbus podiceps, 132
p. podiceps, 181, 372
Poecile, 50
Poephila gouldiae, 74
Pogoniulus anchietae anchietae, 558
a. katangae, 558
a. rex, 558
a. sowerbyi, 558
Pogoniulus anchietae stresemanni, 558
a. whytii, 558
bilineatus alius, 559
b. bilineatus, 559
b. conciliator, 559
b. fischeri, 559
b. jacksoni, 559
b. leucolaima, 559
b. nyansae, 559
b. poensis, 559
b. togoensis, 559
chrysoconus centralis, 559
c. chrysoconus, 559
c. extoni, 559
c. rhodesiae, 559
c. schubotzi, 559
c. xanthostictus, 559
c. zedlitzi, 559
coryphaeus angolensis, 559
c. coryphaeus, 559
c. hildamariae, 559
duchaillui duchaillui, 558
d. gabriellae, 558
erythronotus, 559
leucotis bocagei, 558
l. leucogrammicum, 558
l. leucotis, 558
l. kilimensis, 558
olivaceum olivaceum, 558
o. woodwardi, 558
pusillus affinis, 558
p. pusillus, 558
p. uropygialis, 559
scolopaceus aloysii, 560
s. flavior, 560
s. flavisquamatus, 559
s. scolopaceus, 559
s. stellatus, 559
simplex leucomystax, 559
s. simplex, 559
subsulphureus chrysopygus, 559
s. flavimentum, 559
s. subsulphureus, 559
Pogonorhynchus, 557
Polioptila caerulea amoenissima, 534
melanura lucida, 446
m. pontilis, 447
plumbea superciliaris, 21
Polyborus cheriway, 606
Pooecetes gramineus, 420

Pooecetes gramineus confinis, 391
g. gramineus, 151
Poor-will, Nuttall's, 184
Sonora, 442
Porzana carolina, 377
Potter, Julian K., Annual Report of the Treasurer, 358
Preble, Norman A., Notes on the Duck Hawk in Ashland County, Ohio, 456
Progne dominicensis dominicensis, 309
d. sinaloae, 309
Protonotaria citrea, 117
Psaltriparus minimus melanotis, 23
m. plumbeus, 528
Pselliophorus tibialis, 24
Pseudocolaptes lawrencii lawrencii, 18
Pseudocolaptes, Lawrence's, 18
Psilopogon pyrolophus, 552
Psilorhinus mexicanus cyanogenys, 26
morio morio, 279
Ptarmigan, Allen's, 237
Amchitka Rock, 440
East Greenland Rock, 440
Southern White-tailed, 376
Vancouver White-tailed, 440
Welch's, 237
Willow, 132
Pterodroma arminjoniana, 437
cooki orientalis, 438
Pteroglossus torquatus torquatus, 17
Pterylosis, 70
Ptilology, 308
Ptilinopus purpuratus, 553
Puerto Rico, 299
Puffin, Atlantic, 238
Puffinus carneipes, 626
gravis, 236
griseus, 236
Pygochelidon cyanoleuca cyanoleuca, 21

QUAIL, 217
Querquedula discors, 307
Quetzal, 506
Costa Rican, 16
Quiscalus, 170
quiscula stonei, 455
versicolor, 389, 415

RAIL, Red, 15
Virginia, 237, 377
Rail, Yellow, 459
Rallinae, 440
Rallus limicola limicola, 237, 377
Ramphastos piscivorus brevicarinatus, 17
Ramphocaenus rufiventris rufiventris, 21
Ramphocelus dimidiatus isthmicus, 25
d. limatus, 117
flammigerus, 304
passerinii costaricensis, 25
p. passerinii, 25
Rand, A. L., Obituary of Ronald Ward Smith, 346
Rapp, Janet L. C. and William F., Food habits of Sanderlings, 454
Raven, 306
American, 186, 384, 531
Northern, 148
Southwestern, 445
Recent Literature, 152, 318, 466, 642
Redhead, 119, 465
Redpoll, Common, 133, 240, 390
Hoary, 240
Redstart, 99, 103, 189, 431, 608
American, 609
Intermediate, 23
Kaup's, 506
Orange-bellied, 23
Red-wing, 131, 413
Nevada, 188
Thick-billed, 369
Regulus, 447
calendula calendula, 239, 387
c. cineraceus, 187
regulus regulus, 432
satrapa olivaceus, 187, 287
s. satrapa, 239, 566
Rhynchocyclus brevirostris brevirostris, 20
Richmondena cardinalis, 606
c. coccinea, 284
Riparia riparia ijimae, 444
r. riparia, 565
Ripley, S. Dillon, The barbets, 542; 'The Bird Fauna of the West Sumatra Islands,' (rev.), 322; review by —, 466
Rissa tridactyla tridactyla, 238, 635
Roberts, T. S., Obituary of Robert Statham Williams, 662
Robin, 99, 422, 607, 632

Robin, American, 133
Black-backed, 239, 310
Eastern, 141, 386, 415, 627
English, 306
Jalapa, 283
Vera Cruz, 282
Western, 187, 386
Rogers, Gerald S., Arkansas Kingbird in Alabama, 147; Black-billed Cuckoo nesting in Oklahoma, 632; Costa Rican Sparrow near the Canal Zone, 641; Forster's Tern in North Carolina, 457
Ross, Dr. and Mrs. Lucretius H., Connecticut Warbler in Vermont, 460
Rough-leg, Ferruginous, 182, 375
Rynchops nigra nigra, 312

SALPINCTES obsoletus obsoletus, 186, 385, 539
o. tenuirostris, 446
Saltator albicollis furax, 24
a. speratus, 117
atriceps atriceps, 284
coerulescens grandis, 24, 284
maximus intermedius, 24
Saltator, Costa Rican Streaked, 24
Lichtenstein's, 24, 284
Panama Buff-throated, 24
Pearl Island, 117
Streaked, 9
Sanderling, 241, 454
Sandpiper, Baird's, 103
Buff-breasted, 103, 635
Least, 133, 238
Northern Aleutian, 440
Pectoral, 103
Red-backed, 133, 238
Semipalmated, 133
Spotted, 132, 183, 238, 377
Stilt, 103, 133
Western, 378
Western Solitary, 377
White-rumped, 103, 238, 241
Sapsucker, Natalie's, 381
Red-naped, 185, 381
Williamson's, 185
Yellow-bellied, 239, 396
Sarcoramphus papa, 439
Saunders, Aretas A. See Arnold, Elting, and —, 312
Sayornis, 73
nigricans brunnescens, 443
n. nigricans, 277, 443
n. salictaria, 443
n. semiatra, 443
saya saya, 185, 277, 382, 533
s. yukonensis, 443
Scardafella inca, 275
Schorger, A. W., John Bartram on the Passenger Pigeon in Florida, 452
Schwartz, Charles W., 'The Ecology of the Prairie Chicken in Missouri,' (rev.), 470
Scolopax rusticola rusticola, 440
Scoter, American, 522
Surf, 241, 521
White-winged, 132, 237, 241, 374, 520
Scotiaptex nebulosa nebulosa, 627
Seagears, Clayton B. See Meade, Gordon M., and —, 637
Seed-eater, Black, 24
Hick's, 24
Morellet's, 24
Seiurus aurocapillus, 428
a. aurocapillus, 447
a. cinereus, 447
a. furvior, 447
motacilla, 429
noveboracensis notabilis, 388
n. noveboracensis, 240
Selasphorus platycercus platycercus, 380, 533, 631
rufus, 184, 380, 631
Semnornis frantzii, 549
rhamphastinus, 549
Serpophaga cinerea grisea, 20
Serpophaga, Lawrence's, 20
Setophaga ruticilla, 189, 389, 431
Sex ratios, 117
Shearwater, Greater, 236
Pale-footed, 626
Sooty, 236
Shelford, Victor E., Relation of Snowy Owl migration to the collared lemmings, 592
Sheppard, R. W., Blue egg in a Pheasant's nest, 454
Shoveller, 119, 373
Shrike, 604
Bridge's Ant, 17

Shrike, California, 187
Northern, 133, 239
Northwestern, 387
Pacific Ant, 18
Red-eyed Ant, 18
Slaty Ant, 18
White-rumped, 387
Sialia currucoides, 187, 386, 533
mexicana australis, 283
m. bairdi, 386
sialis, 422
s. guatemalae, 23
s. sialis, 386, 632
Siskin, Black-headed, 285
Northern Pine, 188, 390
Sitta canadensis, 186, 289, 384, 622
carolinensis, 421
c. mexicana, 445
c. nelsoni, 186, 384
pygmaea flavinucha, 282
p. melanotis, 186, 384
Skaggs, Merit B., First Ohio record of the Lark Bunting, 313
Skimmer, Black, 312, 410
Skua, Brown, 441
Falkland, 441
Skutch, Alexander F., Incubation and nestling periods of Central American birds, 8; Life history of the Blue-throated Green Motmot, 489
Skylark, 11, 306
Smilorhis, 556
Smith, Ronald Ward, obituary of —, 346
Snipe, Wilson's, 133, 142, 183, 287, 377
Snyder, Dorothy, Three records from western Massachusetts, 633
Solitaire, Black-faced, 22
Brown-backed, 283, 495
Townsend's, 180, 187, 386
Somateria mollissima, 237
m. dresseri, 634
m. v-nigra, 627
spectabilis, 237
Song, 304
Sora, 377
Sparrow, Arizona Grasshopper, 448
Bachman's, 396
Brewer's, 189, 392, 536
Chihuahua Black-throated, 448
Chihuahua Savannah, 448
Sparrow, Chipping, 608
Clay-colored, 392
Costa Rican, 25, 641
Desert, 527
Eastern Botteri's, 448
Eastern Chipping, 240, 567
Eastern Fox, 240
Eastern Savannah, 463
Eastern Song, 463, 566
Eastern Tree, 240
English, 75, 188, 263, 415, 455, 609, 641
Field, 141, 420
Fox, 393
Gambel's, 393
Grasshopper, 111, 420
Guatemalan, 25
Harris's, 133
Henslow's, 100
House, 607
Ipswich, 628
Lincoln's, 189, 240, 393, 396
Modoc Song, 189
Mountain Song, 393, 449
Nevada Savannah, 189, 391
Northern Sage, 189, 391
Oregon White-crowned, 189
Rusty, 286
Savannah, 240
Song, 11, 34, 131, 302, 420, 608
Striped, 285
Swamp, 241, 566
Tree, 133
Vesper, 151, 420
Virgin River Song, 449
Warner Mountains Fox, 180, 189
Western Chipping, 189, 392, 536
Western Lark, 396, 537
Western Tree, 392
Western Vesper, 391
White-crowned, 240, 392, 452
White-throated, 240, 396
Spatula clypeata, 122
Speirs, J. Murray, Flight speed of the Old-squaw, 135
Spine-tail, Rufous-breasted, 18
Sooty, 18
Sphyrapicus thyroideus nataliae, 381
t. thyroideus, 185
varius nuchalis, 185, 381

Spinus notatus notatus, 285
pinus macropterus, 285
p. pinus, 188, 390
psaltria psaltria, 285
tristis jewetti, 448
t. tristis, 390
Spizella arborea, 133
a. arborea, 240
a. ochracea, 392
breweri breweri, 189, 392, 536
passerina arizonae, 189, 392, 536
p. passerina, 240, 567
pusilla, 420
p. pusilla, 141
Sporophila aurita aurita, 24
a. caurina, 24
torqueola morelleti, 24
Sprunt, Alexander, Jr., First nesting of Forster's Tern in South Carolina, 639
Squatarola squatarola, 237
Stactolaema, 556
Starling, 566, 607
European, 79
Steganopus tricolor, 184, 378
Stelgidopteryx, 73
ruficollis fulvipennis, 21, 279
r. psammochrous, 444
r. serripennis, 383
serripennis, 444
Stellula calliope, 184
Stercorarius longicaudus, 635
pomarinus, 465
Sterna albifrons athalassos, 441
antillarum, 639
caspia, 441
forsteri, 184, 457, 639
hirundo, 606
h. hirundo, 565
paradisaea, 627
Sthenelides, olor, 438
Stoddard, Herbert, L. See McAtee W. L., and —, 303; See Greene, Earle R., and —, 467
Stoner, Dayton, Additional unrecorded Passenger Pigeons from New York State, 622; Further New York State records for the Great Gray and Richardson's Owls, 629; Temperature and growth studies of the Northern Cliff Swallow, 207; — and Stoner, Lillian, An example of bumblefoot in the Great Horned Owl, 405; obituary of —, 172
Stork, 259
Strepera graculina, 70
Streptoprocne zonaris mexicana, 275
Strix nebulosa barbata, 442
n. nebulosa, 442
Sturm, Louis, A study of the nesting activities of the American Redstart, 189
Sturnella magna, 420
m. magna, 463
neglecta, 51, 133
Sturnus vulgaris, 79, 415
v. vulgaris, 131, 566
Sutton, George Miksch, Arkansas Kingbird in southeastern Florida, 462; Autumnal duelling among Mockingbirds, 301; Behavior of birds during a Florida hurricane, 603; The Bronzed Grackle as a species, 170
Swallow, Amur Barn, 444
Bank, 103, 565
Barn, 104, 130, 185, 212, 383, 415, 565
Blue-and-white, 21
Cliff, 99, 103
Cobán, 492
Great Basin Cliff, 444
Kamchatka Bank, 444
Mexican Violet-green, 279
Northern Cliff, 185, 207, 383
Rough-winged, 103, 383
Salvin's Rough-winged, 21, 279
Sonora Rough-winged, 444
Tree, 99, 133, 185, 307, 383
Violet-green, 185, 383
Swan, Whistling, 634
Swift, 258, 586,
Black, 380
Chimney, 105, 145, 361, 415, 608
Mexican Collared, 275
Northeastern White-throated, 379
Vaux's, 184
Synallaxis brachyura nigrofumosa, 18
erythrothorax, 18
Syrmaticus reevesi, 225

TACHYCINETA thalassina lepida, 185, 383
t. thalassina, 274, 278

Taeniopygia castanotis, 72
Tanager, Abbot, 284
Bangs's Green, 25
Cherrie's, 25
Eastern Hepatic, 284
Fanny's, 26
Francisca's, 26
Lafresnaye's, 284
Northern Blue, 117
Northern Gray, 26
Orange-rumped, 304
Panamá Crimson-backed, 25
Passerini's, 25
Pearl Island, 117
Salvin's Ant, 284
Scarlet-rumped, 304
Scarlet-rumped Black, 25
Silver-throated, 26
Song, 25
Streak-chested, 25
Western, 180, 188, 387
Tanagra lauta lauta, 25
luteicapilla, 25
Tangara gyrola bangsi, 25
icterocephala, 26
nigro-cincta fanny, 26
n. franciscae, 26
Tangavius aeneus aeneus, 283
Tantalus variegatus, 440
Teal, Blue-winged, 104, 132, 142, 307, 373, 465, 620
Cinnamon, 182, 373
Green-winged, 119, 236, 307, 373, 465, 564
Telespiza ultima, 139
Telmatodytes palustris dissaëptus, 446
p. iliacus, 446
p. plesius, 186
Temperature, 207
Terenotriccus erythrurus fulvigularis, 20
Tern, Arctic, 131, 627
Black, 103, 184, 312, 378, 412
Cabot's, 639
Caspian, 312, 314, 412, 639
Common, 238, 565, 606
Forster's, 184, 412, 457, 639
Gull-billed, 410
Interior Least, 441
Least, 412, 639
Noddy, 261
Tern, Royal, 106, 410, 639
Sooty, 261, 410
Tetraogallus, 224
Tetraophasis, 224
Texas, 316
Thalasseus maximus maximus, 639
sandvicensis acuflavidus, 639
Thalassidroma plumbea, 438
Thamnophilus bridgesi, 17
doliatus pacificus, 18
punctatus atrinucha, 18
Thereiceryx, 550
Thornton, C. S.; Cummings, S. B., Jr.; Greeley, Frederick, The effect of auditory stimulation of the spermatogenetic cycle of the male English Sparrow, 75
Thrasher, Brown, 415
Curve-billed, 282
Sage, 187
Western Brown, 385
Thraupis abbas abbas, 284
episcopus diacona, 26, 117
Thrush, 306
Audubon's Hermit, 386
Gray-cheeked, 103
Gray's, 23
Hermit, 345, 396, 422
Olive-backed, 103
Rufous-collared, 493
Russet-backed, 386
Russet Nightingale, 283
Sierra Hermit, 180, 187
Tamaulipas, 283
Western Olive-backed, 386
Willow, 386
Wood, 103, 422, 608, 633
Thryomanes bewickii altus, 446
b. brevicauda, 446
b. eremophilus, 576
brevicauda, 446
Thryophilus modestus modestus, 22
Thryothorus ludovicianus burleighi, 446
nigricapillus semibadius, 22
rutilus hyperythrus, 22
r. petersi, 22
Tiaris olivacea pusilla, 24
Tinamou, Cabanis's Pileated, 14
Titmouse, Gray, 528
Tufted, 131, 633

Tityra inquisitor fraseri, 21
semifasciata costaricensis, 21
s. deses, 277
s. griseiceps, 277
s. personata, 277
Tityra, 277
Costa Rican, 21
Fraser's, 21
Todirostrum cinereum finitimum, 20
sylvia schistaceiceps, 20
Tody-tyrant, Northern, 20
Slaty-headed, 20
Tolmomyias sulphurescens cinereiceps, 21
Tomkins, Ivan R. See Greene, Earle R., and —, 467
Totanus flavipes, 378
melanoleucus, 145, 238, 378
Toucan, Short-keeled, 17
Toucanet, Blue-throated, 17
Towhee, 99, 420, 608
Green-tailed, 189, 391
Red-eyed, 609
Spurred, 391
Toxostoma curvirostre celsum, 446
c. curvirostre, 282
rufum, 415
r. longicauda, 385
Trachylaemus, 557
Trachyphonus darnaudii bohmi, 562
d. darnaudii, 562
d. emini, 562
d. usambiro, 562
erythrocephalus erythrocephalus, 562
e. gallarum, 562
e. jacksoni, 562
e. shelleyi, 562
e. versicolor, 562
margaritatus margaritatus, 562
m. somalicus, 562
purpuratus elgonensis, 562
p. goffinii, 562
p. purpuratus, 562
p. togoensis, 562
vaillantii suahelicus, 562
v. vaillantii, 562
Trichoglossus amabilis, 139
Tricholaema, 557
leucomelan, 35
Tringa solitaria cinnamomea, 377
canutus, 440
Tripsurus chrysauchen, 17
Troglodytes aedon, 415
aëdon, 131
a. parkmanii, 186, 385
brunneicollis brunneicollis, 282
b. cahooni, 576
b. culaquita, 282
b. vorhiesi, 576
hiemalis pacificus, 385
musculus inquietus, 22
m. intermedius, 22
troglodytes hiemalis, 239
t. stevensoni, 446
Trogon bairdii, 16
curucui tenellus, 16, 409
melanocephalus melanocephalus, 16, 276
mexicanus, 16, 497
m. mexicanus, 276
suracura, 409
Trogon, Baird's, 16
Black-headed, 16, 276
Graceful, 16
Mexican, 16, 276, 497
Tropic-bird, Catesby's, 660
Red-billed, 137
Red-tailed, 137
Yellow-billed, 137
Turdus assimilis assimilis, 283
grayi, 23
g. tamaulipensis, 283
migratorius, 133, 422, 632
m. migratorius, 141, 386, 415, 627
m. phillipsi, 282
m. propinquus
pilaris, 446
rufitorques, 493
Turkey, 225, 596
Ocellated, 225
Turnstone, 99
Ruddy, 241
Tyranniscus vilissimus parvus, 21
Tyranniscus, Lesser, 21
Tyrannulet, Lesser Paltry, 21
Tyrannus borealis, 444
dominicensis, 462
melancholicus chloronotus, 21, 116
m. couchii, 278, 443

Tyrannus tyrannus, 185, 381, 415, 462
verticalis, 147, 185, 382, 462
vociferans vociferans, 382
Tyrrell, W. Bryant, A study of the Northern Raven, 1
Tyto alba guatemalae, 274

URIA aalge aalge, 236
a. inornata, 441
lomvia lomvia, 236
troille californica, 518
Utah, 523

VEERY, 103, 422
Newfoundland, 446, 565
Veracruz, 272
Vermivora peregrina, 387, 566
ruficapilla, 424
Vini aureicinctus, 139
Violet-ear, Lesser, 16
Vireo flavoviridis, 146
gilvus swainsonii, 387
griseus noveboracensis, 447
huttoni insularis, 447
h. mexicanus, 283
olivaceus, 148, 240, 387, 423
philadelphicus, 131, 566
solitarius, 423
s. plumbeus, 387
virescens insularis, 23
Vireo, Blue-headed, 423
Mexican, 283
Northern White-eyed, 447
Philadelphia, 103, 131, 566
Plumbeous, 387
Red-eyed, 148, 190, 240, 300, 387, 400, 423, 608
Southern Yellow-green, 23
Vancouver, 447
Warbling, 103
Western Warbling, 387
White-eyed, 146, 396, 400
Yellow-green, 146
Viridibucco, 556
Vogel, Howard, Cowbird parasitizes nests of Wood Thrush and Indigo Bunting, 633; Food of Ruffed Grouse in southern Michigan, 453; American Rough-legged Hawk found dead at Crawfordsville, Indiana, 454
Vultur, 129
papa, 439
Vulture, Black, 15, 116, 136
King, 439
Turkey, 116, 182, 451
Western Turkey, 374

WALKINSHAW, Lawrence H., Aortic rupture in Field Sparrow due to fright, 141; Vesper Sparrows mated two successive summers, 151
Wallace, George J., Red-eyed Vireo with vocal defect, 300
Warbler, Audubon's, 388, 623
Bachman's, 103
Bay-breasted, 103
Black and White, 100, 396, 424, 608
Blackburnian, 103, 427
Black-poll, 103
Black-throated Blue, 99, 103, 307, 426
Black-throated Gray, 535, 628
Black-throated Green, 103, 193, 194, 426, 608
Blue-winged, 103
Brasher's, 146
Canada, 103, 420
Cape May, 103, 398
Cerulean, 103
Chestnut-sided, 103, 240, 420, 427, 608
Connecticut, 460
Cuban Golden, 447
Eastern Yellow, 388
Golden-winged, 103
Hooded, 397, 400
Kentucky, 103, 397, 400
Macgillivray's, 388, 628
Magnolia, 103, 425
Myrtle, 99, 240, 388, 566, 623
Nashville, 103, 424
Newfoundland Yellow, 240
Northern Pileolated, 188, 348
Palm, 396, 605
Panama Golden, 117
Parula, 99, 400
Pink-headed, 23, 506
Prothonotary, 100, 117, 193, 194, 400

Warbler, Rocky Mountain Orange-crowned, 388
Swainson's, 103, 395
Tennessee, 103, 387, 566
Veraguan Buff-rumped, 23
Virginia's, 388
Wilson's, 103, 420
Worm-eating, 103
Yellow, 10, 194, 608
Yellow-throated, 396
Water-thrush, Louisiana, 103, 396, 400, 429
Water-Turkey, 107
Waxwing, Bohemian, 314
Cedar, 566
Weaver, Black-cheeked, 451
Wetmore, Alexander, A further record for the Double-crested Cormorant from the Pleistocene, 459; The Golden Plover in Nicaragua, 313; Review of the forms of the Brown Pelican, 577; The sleeping habit of the Willow Ptarmigan, 638
Wheatear, Greenland, 631
Whimbrel, Siberian, 440
Whip-poor-will, 304, 493
Whistler, Hugh, 'The Avifaunal Survey of Ceylon,' (rev.), 321
White, George Whitney, obituary of —, 175
Widgeon, European, 147
Willet, Eastern, 635
Western, 184, 635
Willett, George, The type of *Telespiza ultima* Bryan, 139; notice of death of —, 659
Williams, George G., Do birds cross the Gulf of Mexico in spring, 98
Williams, Ralph B., Unusual 'pigeonries' of the domestic pigeon, 140
Williams, Robert Statham, obituary of —, 662
Wilsonia canadensis, 430
pusilla chryseola, 188
p. pileolata, 388
Wing, Leonard, Ornithological corrections, 307
Wood, Harold B., The history of bird banding, 256; The Robin does not change its tail spots, 141; The sequence of molt in Purple Grackles, 455
Wood, Robert S., 'The Naturalist's Lexicon,' (rev.), 154
Woodcock, 142, 458
Wood-hewer, Allied, 277
Southern Allied, 18
Thin-billed, 18
Woodpecker, Alpine Three-toed, 381
Ant-eating, 277
Arctic Three-toed, 185
Batchelder's, 381
Boquete Hairy, 17
Colorado River Gila, 443
Costa Rican, 17
Downy, 190
Florida Red-bellied, 443
Golden-naped, 17
Hairy, 421
Ivory-billed, 618
Jardine's Hairy, 277
Lesson's, 277
Lewis's, 185, 380
Modoc, 185
Newfoundland, 239
Northern Downy, 239, 415
Northern White-headed, 185
Orizaba, 277
Pileated, 421
Red-bellied, 606
Red-headed, 415, 605
Rocky-Mountain Hairy, 381
San Miguel, 116
Southern Red-cockaded, 443
Trujillo, 17
Wagler's, 17
Western Pileated, 185, 381
Western Red-bellied, 442
Western Red-headed, 380
Wren, Apache, 576
Appalachian Bewick's, 446
Brown-throated, 282
Burleigh's Carolina, 446
Cabanis's, 22
Cañon, 533
Carolina, 131, 190
Chinchirigüi, 22
Chiriqui Wood, 22
Common Rock, 539
Costa Rican House, 22
Honduras Spotted-breasted, 22
House, 131, 415, 608
Panamá House, 22

Wren, River, 22
Rock, 181
Rufous-naped Cactus, 282
Salvin's, 22
San Benito Rock, 446
Stevenson's Winter, 446
Tawny-bellied, 22

XANTHOCEPHALUS xanthocephalus, 188, 314, 389
Xantholaema, 551
Xema sabini sabini, 441
s. woznesenskii, 441
Xenops minutus ridgwayi, 18
Xenops, Ridgway's, 18
Xylobucco, 557

YELLOWLEGS, Greater, 145, 238, 378
Lesser, 104, 233, 378
Yellowthroat, 429
Yellowthroat, Athens, 447
Maryland, 99
Northern, 609
Western, 188

ZARYNCHUS wagleri ridgwayi, 26
Zenaida aurita, 300
Zenaidura macroura, 270, 415
m. marginella, 184, 378, 536
Zimmer, John T., A Chimney Swift from Colombia, 145; A new swift from Central and South America, 586; reviews by —, 152–155, 318, 467, 470, 634, 644
Zonotrichia albicollis, 240
capensis costaricensis, 641
fallax, 449
leucophrys gambelii, 393
l. leucophrys, 240, 392, 452
l. oriantha, 189
querula, 133